



PROVEN PERFORMER

On Premises – Drying Cabinets

FDC 6 (Drying Cabinet)


Drying Cabinet features

- Drying process from the outside and inside
- Adjustable programmes
- Drying capacity of 6 large overalls equal to 20 kg
- Drying procedure hardens the impregnation
- Gentle drying without friction
- Three automatic programs and one program for time drying
- Indoor lighting
- Detachable hangers and racks for easier handling
- Programme ends with “cool down” to room temperature
- CE approved

FDC 6 is especially developed for drying heavy duty overalls. Efficient and gentle drying procedure, the dryer has a capacity for 6 large overalls. A large display shows symbols and text. The system dries the gear from the inside. One program for time dry and three automatic programs, with the Humidity Tracking System (HTS). HTS is the system that measures the level of humidity every second, to determine exactly when the textiles are dry. Programmes can also be set for other garments and station wear.

Options

- Optional hangers to dry gloves and boots in stainless steel
- Kit of hooks (available through Genuine Parts)



TWO HEATING SYSTEMS SHORT DRYING TIME

Markets

Fire brigades, Airports, Oil platforms,
Nuclear plants, Army, Rescue services




FDC 6

		FDC 6
Loading capacity max	kg	20
Complete overalls	pcs	6
Heating effect	kW	12
Total effect	kW	12,45
Electrical connections		
Standard electrical connection		380-415V/50/60Hz/3phase + N
Fuse	A	20
Total effect	kW	12,45
Heating elements	kW	12
Air connections		
Outlet exhaust	ø mm/inch	160/6,3
Outlet air flow	m³/h	300
Shipping data		
Net	kg/lbs	200/441
Crated	kg/lbs	40/88,2
Shipping data net	kg/lbs	240/529
Shipping volume	m³	1,6
Optional extras		
Rack for gloves	part number	POD131008
Rack for boots	part number	POD131009
Dimensions		
Width	mm/inch	1800/71
Depth	mm/inch	800/31,5
Height, inner	mm/inch	1752/69
Height, outhr	mm/inch	1955/77

* Drying of 6 kg cotton (dry weight), washed and high-spinned to 43% residual moisture, dried to 0 % residual moisture.



Dimensions
Drying Cabinet



All measurements are in mm.
*With levelling legs turned into base.



