



The Proven Performer in Laundry



# SPEED QUEEN® QUANTUM® TOUCH Tumble Dryers

SAT30  
2x30 lb (14 kg)





SAT45  
2x45 lb (20 kg)

ST075  
75 lb (34 kg)

## Quantum® Touch Control

Reimagine your laundry experience with the Speed Queen Quantum Touch display. Clear, easy to use, easy to understand directions with profitable cycle modifiers enhance your customers' experience and increase return on investment.

- User-friendly screen with operating instructions built in as part of the control
- 5 basic cycles (high, medium, low, delicate, no heat)
- Easy-to-understand cycle modifier prompts will encourage your customers to customize their dry



- Flexible pricing & additional revenue opportunities with customizable cycle modifiers, time-of-day pricing and lucky cycle options
- 30+ languages available
- On screen timer so your customers know exactly how much time their cycle will take
- Flexible Payment Options - Coin, Card, Mobile, Cash

Our tumble dryers are built with a single purpose: performance. They are specifically designed with fewer moving parts, so you'll face fewer maintenance issues over their lifespan.

- 5", full color, touch screen display on stack tumble dryers (7" display on single tumble dryers)
- Chrome door ring
- Lint trap blends in with front panel for a sleek, modern look
- Innovative galvanized cylinder design with stainless steel back

# Tumble Dryers


- Patented oval cylinder perforations prevent small metal objects from passing through and damaging the dryer's sweep sheets
- Axial Airflow provides the most concentrated and efficient drying possible to make dry times even faster, while saving you money



**SPEED QUEEN®**  
**INSIGHTS**  
**READY**

Take your business to new levels of efficiency and profitability with advanced analytics and customer data—all integrated into the same

platform with the rest of your business management tools. Know how often each customer visits, which machines they use, how they pay, and use that information to increase your revenue through stronger customer relationships and a more rewarding laundry experience.



When you fully set up with the Speed Queen Insights PRO module, you will find a new level of flexibility in with the rest of your business management tools.

You can trust Speed Queens Global Heritage of design and strength, this is now enhanced by the largest cloud based network of Laundromat equipment spread across the Globe. Our USA based 24hr support team has the depth of know how to work with you locally to maximise returns.

You will have the flexibility and control over key aspects of your modern business


- Full visibility of all Washers and Dryers across your stores
- Remote commands - Start - Stop - Clear Vend etc
- Summary view of equipment use and income
- Set up management Alerts and Reports on key metrics
- Market your Cashless APP program directly to users
- CRM data collection - Rewards Programs - Bonus Offers
- Adjust programmed cycle via the cloud and much more.

Your confidence will continue to grow with the consistent evolution of this Global Network, all updated automatically.

Insights: Cloud-based management platform  
Mobile payment transforms customer relationships.  
Your customers expect more from a modern retail experience.

- No software to install
- All the features you are used to from Quantum
- Supported and upgraded by Speed Queen remotely.
- More versatility.
- More convenience.
- Faster results.

Speed Queen Insights lets you meet—and exceed their expectations with the Speed Queen app and Speed Queen Rewards



Contact Speed Queen Equipment Sales for further details:

E: [info@speedqueensales.com.au](mailto:info@speedqueensales.com.au)


# Single & Stack Tumble Dryers

		SAT30NVE	SAT45NVE	SA075NVE
Control Option		Quantum Touch	Quantum Touch	Quantum Touch
Capacity - (kg)		14 kg x 2	20 kg x 2	34 kg
Overall Width - (mm)		800	875	978
Overall Depth - (mm)		1087	1235	1346
Overall Height - (mm)		1938	2065	1963
Cylinder Diameter - (mm)		762	838	940
Cylinder Depth - (mm)		660	762	914
Cylinder Volume - (liters)		300	419	634
Reversing Cylinder		Option	Option	-
Door Opening Size - (mm)		574	683	683
Heat Input Power	Gas Models - Per Pocket	73,000 x 2 Btu/hr	95,000 x 2 Btu/hr	150,000 Btu/hr
	Steam - Per Pocket	85,400 x 2 Btu/hr	-	133,900 Btu/hr
	Electric Models	12kw x 2	-	36kW
Gas Heat Models - Per Pocket		77 Mj/hr x 2	100 Mj/hr x 2	
Gas Connections - in (npt)		0.5	0.5	0.5
Plumbing Connections - Steam - in (npt)		0.75	-	0.75
Air Outlet - (mm)		1 x (200) oval	1 x (250) oval	200
Motor - HP	Fan	0.3	0.5	0.5
	Cylinder	0.3	0.5	0.5
Airflow - cfm		2 x 400	2 x 600	800
Make Up Air (cm2)		1418	1856	
Electrical Specs - amps				
Gas & Steam	200-240V/50/60/1/3	6	12	7
Electric	230-240V/50/60/3	52 x 2	-	90
Packed (with crate) Dimensions Approx.- (mm)	Width	900	1020	1170
	Depth	1270	1520	1500
	Height	2210	2210	2240
Gross weight (with crate) - (kg)	Gas	330	420	395
	Steam	350	-	415
	Electric	360	-	410
Shipping Dimensions Approx.- (mm)	Width	830	902	1054
	Depth	1190	1372	1422
	Height	Gas & Electric - 2057	2156	2057 Gas & Electric 2121 Steam
Net Weight - (kg)	Gas	260	322	313
	Steam		-	322
	Electric		-	327
Shipping Weight - lb (kg)	Gas		340	336
	Steam		-	345
	Electric		-	349
Agency Approvals		AGA # 7430 AGA # 7430	AGA # 7430	


Tumble dryer models are made to suit a variety of electrical service characteristics. See your Speed Queen distributor for specifications. For further details on installation, refer to Installation, Operation and Maintenance instructions supplied with the tumble dryer. Amperage ratings available in Installation Manual. For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications subject to change without notice. The quality management systems of Alliance Laundry Systems are registered to ISO 9001.

# Single & Stack Tumble Dryers

Dimensions - (mm)	SAT30	SAT45	SA075
A	710	810	740
B	1245	1280	860
C	1225	1250	1350
D	290	260	1960
E	270	235	1070
F	635	735	980
G	730	830	840
H	1090	1235	200
I	695	770	160
J	800	875	350
K	1940	2065	900
L	-	-	1000



SAT30, SAT45NVE-SS



TMB2597N\_SVG

CONTACT YOUR LOCAL CONSULTANT @  
 E: [sales@speedqueensales.com.au](mailto:sales@speedqueensales.com.au)  
 P: 03 9495 1300  
[www.speedqueensales.com.au](http://www.speedqueensales.com.au)

Contact Speed Queen Equipment Sales for further details:

